

VSL NEWS

I S S U E T W O 1 9 9 2



**SPECIAL EDITION
SYMPOSIUM 1992**



The VSL Symposium – More Than a Family Affair

Not only insiders know of the VSL Symposium tradition. Other international companies and organizations are envious of our Symposium and the spirit which it generates.

The organizing committee did a superb job and Montreux was another fine example of the 27 year old VSL Symposium tradition. The gathering, which takes place every four years, assembled representatives from all VSL subsidiaries, affiliated companies and licensees. A part of the Symposium was open for selected guests representing clients, consulting engineers, contractors and government agencies. The technical seminars related to post-tensioning brought leading speakers from around the world.

The theme for the Symposium was Value – Service – Leadership. These initials are not new to VSL, but Montreux showed again how really representative they are for us:

- Value** Based on a close working relationship and constant dialogue, VSL continues to tailor its offers to the client's own perception of value for money;
- Service** With supportive communication, entrepreneurial flair and highly trained and cooperative site experts VSL interacts and performs as a committed member of the construction team;
- Leadership** With international awareness of the global development process, VSL aims at consistently producing new products to remain at the leading edge of technology.

Tradition alone has not made us the world-wide leader in post-tensioning. Montreux became the birthplace of a new post-tensioning system – a revolutionary system which demonstrates VSL's continued leadership in the industry. The new VSL Composite System is developed to meet the new and ever increasing expectations of the construction world.

You may not have been one of the 250 Symposium delegates in Montreux, but we are sure that you will be among our clients to benefit from VSL's Value-Service-Leadership. 



Franz Fischli
Chairman of the Organizing Committee

Highlights of this Issue:

- 4 Technical Highlights
- 6 Closing Remarks
- 7 A Big Step Forward In Post-Tensioning
- 8 The VSL Composite Solution
- 10 Symposium Tours
- 11 Social Events

Cover:

"The VSL Toggel", a sculpture by De Es Schwertberger, wearing the VSL colours and emblems, the mascot of the Symposium 1992 and a symbol for the solid, reliable and powerful VSL.



The VSL Symposium – More Than a Meeting



The VSL Symposium 1992 proved once again to be a memorable, technical and social event. Montreux on the Lake of Geneva, surrounded by vineyards, charming villages and beautiful mountains not only offered a splendid environment, it also allowed VSL to strengthen its well-known family spirit and good relations with business friends.

The technical programme started with an optional site visit at the Storebaelt Fixed Link in Denmark. VSL's involvement in the 6.6 km long West Bridge is substantial and includes 11'000 tonnes of post-tensioning material, the leasing of all associated equipment and provision of site management personnel for operations.

The sessions during the Montreux part of the Symposium were attractive and of high quality, and were attended by almost 300 delegates. Topics on current developments in bridge construction, trends and potentials in post-tensioned buildings and structural strengthening presented by experts like Professors Breen, Priestley, Falkner, Thürlimann and Marti have shown that The VSL Group is well prepared to

meet future challenges in the industry. Of particular interest was VSL's newly developed Composite Post-Tensioning System. Its numerous advantages in terms of quality, practicality, versatility and value were undisputed and well received by the delegates.

A large number of the participants continued their Symposium programme with a visit to Paris where they were guests at Bouygues' "Challenger". 

On July 1 and 2, the technical programme of the VSL Symposium included six main sessions on VSL System Developments, Bridges, Extraordinary Structures and Special Construction Methods, Structural Strengthening, Buildings, and the VSL Value Added Package. Invited speakers from both inside and outside The VSL Group gave a total of 28 individual presentations. This article summarizes selected technical highlights of this two day programme.

Hans Rudolf Ganz, Group Chief Technical Officer, and David Rogowsky, Head of Special Developments, reported on the most recent VSL System developments. The major focus was on the newly developed unique VSL Composite System which is presented in a separate article (see pages 8-10). However, other important developments included new applications of the VSL Monostrand System in stay cables, concrete pressure tunnel linings, and masonry construction as well as on recent improvements in the inspectability of permanent ground anchors.



Professor John E. Breen urged the audience for more innovative thinking and also for better acceptance of new innovations in bridge engineering. According to him construction innovation today still has a lag time of over 20 years – a technical generation. However, he sees substantial opportunities for innovations in mixed structures, i.e. combinations of precast and in-situ concrete, pretensioning and post-tensioning, internal and external post-tensioning, as well as steel and concrete. The keynote address was followed by reports on a series of outstanding bridge projects in the US, Europe and Asia.



Dr. Bernt Jakobsen started the session on extraordinary structures with a summary of design and construction experience gained in the last 20 years with Post-tensioned concrete offshore platforms. He then reviewed the Sleipner accident and its causes, and reconfirmed the inherent safety of this type of construction. Other offshore, heavy lifting, and climbform applications were also presented in this section.





Post-tensioned concrete is generally not permitted as an integral part of ductile seismic resistant structural systems. This is primarily based on isolated examples of poor performance in past earthquakes. **Professor Nigel Priestley** presented in his keynote lecture two specific situations where post-tensioning can result in enhanced seismic performance. The first involved retrofitting of existing bridges, and the second involved a new concept for seismic resistant ductile post-tensioned frames using partially debonded tendons. This produces structures with reduced damage in a severe earthquake.

Professor Peter Marti sees a huge potential for applications of post-tensioning in buildings all around the world. Current and future developments such as the use of lost concrete forms for composite post-tensioned slabs will, according to him, enhance constructability and efficiency of buildings considerably. Franz Zahn, Head of VSL Developments of The VSL Group, reinforced this statement by saying "There is more than in-situ slabs" for post-tensioning in buildings and illustrated this with examples of post-tensioned frames and cores. John Sindel, Manager of VSL Australia, identified major savings in post-tensioned ground slabs over conventional solutions if maintenance costs are considered.



It is the perception of our clients which determines the "Value" VSL adds to a project. This perception was discussed in a panel of highly recognized construction professionals headed by Graeme Pash, Chief Regional Executive Officer of VSL Far East South/Australia. This final session was closed with the conclusion that VSL will continue to apply strong product and service differentiation entailing specialist design skills and techniques.





Let me start my remarks with a basic question: **What is the Future of Structural Concrete?**

The modern age of concrete started 1824 with the more or less accidental invention of Portland cement by Joseph Aspdin. Steel bars as reinforcement were introduced about 100 years ago. And Prestressed Concrete developed after the second world war, i.e. about 50 years ago.

In this rather short period structural concrete has become by far the most widely used structural material. The infrastructure for our civilisation including water supply, waste treatment, energy production and distribution, traffic systems as well as the structures for housing, industrial production, social and cultural affairs are unthinkable without structural concrete.

Since about fifteen years the introduction of superplasticizers has decisively improved the quality of structural concrete. With a low water/cement-ratio, combined with an excellent workability such that pumping is possible, a dense, homogeneous concrete can be produced with high strength, high resistance to chloride penetration and hence an excellent resistance against corrosion of the reinforcement.

In recent years ecological considerations in general and in the assessment of the use of building materials in particular have gained importance. Concrete as an inorganic readily available material is compatible with the environment, uses comparatively little

energy for its production and can be disposed without protective measures.

Steel in the form of bars, nets, wires, strands – due to its inherent technical qualities and its favourable price – will not be replaced by materials such as glass fibres, carbon fibres, synthetic materials except for very limited special applications.

Despite the fact that long range predictions in the scientific and technical field should rather be avoided, I feel quite sure that structural concrete as the main construction material will be irreplaceable within the next 50 years. However, continuous improvement of its qualities can be expected. Such a development could be for example the use of inorganic or organic corrosion inhibitors as admixtures.

How does Prestressing today fit into the field of structural concrete?

It has taken quite a long time to "demystify" prestressed concrete of its "magic" qualities and to demonstrate its full range of applications. Today we consider the total range from plain to reinforced, partially and fully prestressed concrete as one material: "Structural Concrete". The choice of prestressing is no longer arbitrarily mandated by experts or codes but is made by the designer. Performance requirements, questions of constructability and detailing lead the designer to make an appropriate choice. Especially new structural concepts, e.g. in the case of mixed structures for tall buildings, call for large tension members or beam-columns for which prestressing

offers decisive advantages such as high stiffness, no splices, high fatigue strength, ease of connecting, etc.

Furthermore, a hardly tapped field for prestressing is foundations. Since many years we have talked about this opportunity. We have made studies and even designed and constructed some foundation structures. I have come to the conclusion that we have to actively engage foundation specialists in these studies in order to convince them of the structural and economical advantages of prestressing. I still believe that foundations offer a wide new field to the application of prestressing.

Where now rests the role of VSL in the Prestressing industry?

VSL is a recognized leader in the International Prestressing Industry. It is important to maintain, preferably to strengthen this position.

I see three aspects to this endeavour:

- As a company VSL should offer a complete set of Prestressing Systems and Services.
- VSL should maintain a competent technical staff. In the R + D field an intensive collaboration with Universities, Research Establishments and Industry is necessary.
- Finally, a flexible organizational structure is necessary for a company active worldwide in an international market.

I believe that the VSL Symposium 1992 has offered an excellent review of the state-of-the-art as well as valuable information on technical and economical trends in the application of prestressing, and hence a sound basis for an evaluation of opportunities in this field. //

*Dr Bruno Thürlimann
Professor Emeritus ETH Zürich,
Switzerland*



The New VSL Composite System

The 1992 VSL Symposium brought with it the unveiling of the new VSL Composite System. Various internal and external papers described the technical and marketing features of the system. This article summarizes the background and main features of the system.

In the background presentation, it was explained that there is nothing wrong with the existing systems. On the contrary, VSL Post-Tensioning Systems enjoy an enviable reputation for quality and reliability. The need for a new system came from the need to anticipate and satisfy the ever increasing expectations of the construction industry for better value and reduced risk.

A technical presentation described the design and performance features of the VSL Composite System. The system capitalizes on recent developments in material and manufacturing technology. These include: the use of a high strength concrete, special heat treatment processes, and plastic in various system components.

An initial VSL marketing presentation described the competitive strategies required when introducing a new product. Without giving away any secrets, we will continue to build on our reputation as "VSL – The Market Leader with a Difference, Marketing Quality Products and Service".



There was animated discussion in the seminars and extreme interest in the exhibit of the new system. The following pages illustrate the new system. 

Various VSL Patents Applicable

Grout Connection

Threaded inserts permit bolting of bearing plate to formwork and attachment of grout caps

Compact Anchor Head offers reduced weight and simplified installation

Composite Bearing Plate (Metal - High Performance Concrete) with multiple bearing ledges offers reduced weight and improved handling



The VSL Composite System is engineered to meet FIP Recommendations, local codes, and state approve requirements throughout the world.



Vacuum grouting with PT-PLUS reduces the need for intermediate vents

PT-PLUS Plastic Duct and PT-PLUS Duct Couplers provide watertight tendon encapsulation

Plastic Trumpet provides continuity of encapsulation through the bearing plate

The VSL Family of Solutions – different needs call for different solutions

The CS-STANDARD configuration, used for normal applications, combines the new CS stressing anchorage shown here but with conventional steel duct, and the complete family of existing VSL dead end anchorages. The compact CS stressing anchorage is lighter, easier to install, requires smaller and shallower block-outs, and permits closer anchorage spacing in certain applications. The CS-STANDARD configuration is a cost effective solution for ordinary applications.

The CS-PLUS configuration, used for applications requiring enhanced corrosion protection or improved fatigue resistance, combines the new CS stressing anchorage with the VSL PT-PLUS

plastic duct system. In addition to the advantages of the CS anchorages, the fully encapsulated system offers superb corrosion protection. The plastic duct eliminates fretting fatigue between the strand and duct. It also provides more reliable, and reduced duct friction. Integrity of the encapsulation can be confirmed prior to stressing by measuring the electrical resistance between the strand and the ordinary non-prestressed reinforcement. Vacuum testing of the duct is also possible. The VSL Vacuum Grouting Technique is recommended for use with the CS-PLUS configuration since it reduces the need for intermediate vents, and improves the overall quality and reliability of the completed structure. The CS-

PLUS configuration is the leading fully encapsulated multistrand post-tensioning system.

The CS-SUPER configuration combines the CS-PLUS configuration with special details and techniques to provide an electrically insulated tendon. This offers all of the advantages of the CS- PLUS configuration, plus the ability to electrically test the tendon after stressing, and electrically monitor the tendon at any time throughout the life of the structure. The CS-SUPER configuration is also the solution for structures plagued by stray currents.

Pre-Symposium Tour

Being currently the biggest combined road and rail construction project in Europe, the Storebaelt Fixed Link Project in Denmark was an easy choice for VSL's Pre-Symposium Tour.

VSL is part of the team building the West Bridge. VSL's site personnel were well acquainted with the project and conducted a detailed tour of the works, both off-shore and throughout the enormous prefabrication yard.

Over 70 delegates from 11 countries saw first hand the many steps that lead to the construction and erection of massive precast bridge segments that weigh up to 7400 tonnes. The heaviest components were the precast caissons which were up to 27 m high. The bridge girders span 110 m and were seen being constructed by the free cantilever method. It was easy to see the planned site co-ordination that allowed efficient assembly line construction. /



Approximately 3000 people are employed in this spectacular office complex.

Post-Symposium Tour

After the Symposium many delegates accepted the invitation from VSL's majority shareholder Bouygues and visited "Challenger", their head office in Paris. /



We were delighted that so many participants were accompanied by their partner. We hope that our Social and Ladies' Programme provided them with lasting memories of the beautiful scenery around the Lake of Geneva and the cosmopolitan city of Geneva, including an interesting look at the diplomatic work of the United Nations, as well as the picturesque Castle of Chillon. 



The social side of the Symposium offered participants the chance to renew old friendships and to make new ones. The events included a welcome dinner on board a lake steamer and culminated in the social highlight of the Symposium: the Gala Dinner at the Montreux Palace Hotel on the last evening. 



VSL NEWS

ISSUE TWO 1992

Published by
VSL International Ltd.
Editor : Therese Wenger

Könizstrasse 74
P.O. Box 7124
CH-3001 Berne/Switzerland

Tel 41-31-66 42 22
Fax 41-31-66 42 50
Layout by comDesign

SOUTH EAST ASIA/ AUSTRALIA

Australia

VSL Prestressing (Aust.)
Pty. Ltd.
6 Pioneer Avenue
Thornleigh, NSW 2120
Tel 61-2-484 5944
Fax 61-2-481 0160

VSL Prestressing (Aust.)
Pty. Ltd.
81 Granite St.
Geebung, QLD 4034
Tel 61-7-265 6400
Fax 61-7-265 7534

VSL Prestressing (Aust.)
Pty. Ltd.
2, Summit Road
Noble Park, VIC 3174
Tel 61-3-795 0366
Fax 61-3-795 0547

NORTH EAST ASIA

Hong Kong

VSL Engineers (HK) Ltd.
20/F., East Town Building
41 Lockhart Road
Wanchai, Hong Kong
Tel 852-520 1600
Fax 852-865 6290

Japan

VSL Japan Corporation
Tachibana Shinjuku Bldg. 4F
2-26, 3-chome Nishi-Shinjuku
Shinjuku-ku, Tokyo 160
Tel 81-33-346 8913
Fax 81-33-345 9153

Brunei

VSL Systems (B) Sdn. Bhd.
P.O. Box 33
Bandar Seri Begawan 2600
Tel 673-2-229 153
Fax 673-2-221 954

Indonesia

PT VSL Indonesia
Jalan Bendungan Hillir Raya
Kav. 36A Blok B No. 3
Tromol Pos 3609/JKT
Jakarta 10210
Tel 62-21-571 1882
Fax 62-21-581 217

Korea

VSL Korea Co., Ltd.
5/F., Yang Jae Building
261, Yangjae-Dong,
Seocho-Gu
Seoul
Tel 82-2-574 8200
Fax 82-2-577 0098

Malaysia

VSL Engineers (M) Sdn.
Bhd., 39 B Jalan Alor
50200 Kuala Lumpur
Tel 60-3-242 4711
Fax 60-3-242 9397

New Zealand

Precision Precasting
(Wgtn.) Ltd.
Main Road South
Private Bag, Otaki
Tel 64-694 8126
Fax 64-694 8344

Macau

VSL Redland Concrete
Products Ltd.
18 B Fragrant Court
Ocean Gardens
Taipa
Tel 853-81 00 77
Fax 853-81 00 76

Singapore

VSL Singapore Pte. Ltd.
151 Chin Swee Road
#11-01/10 Manhattan House
Singapore 0316
Tel 65-235-7077/9
Fax 65-733 8642

Thailand

VSL (Thailand) Co., Ltd.
7th Fl., Sarasin Building
14 Surasak Road
Silom, Bangkok Bangkok 10500
Tel 66-2-237 3288
Fax 66-2-238 2448

Taiwan

VSL Systems (Taiwan) Ltd.
1 Fl., No. 20-1, Lane 107
Hoping East Road, Sec. 2
Taipei, R.O.C.
Tel 886-2-707 7253
Fax 886-2-704 0463

NORTH AMERICA

Corporate Office

VSL Corporation
1671 Dell Avenue
Campbell, CA 95008
Tel 1-408-866 6777
Fax 1-408-374 4113

USA East

VSL Eastern
8006 Haute Court
Springfield, VA 22150
Tel 1-703-451 4300
Fax 1-703-451 0862

VSL Corporation
5555 Oakbrook Parkway, #530
Norcross, GA 30093
Tel 1-404-446 3000
Fax 1-404-242 7493

VSL Corporation
7223 N.W. 46th Street
Miami, FL 33166-6490
Tel 1-305-592 5075
Fax 1-305-592 5629

VSL Corporation
P.O. Box 1228
11925 12th Avenue South
Burnsville, MN 55337
Tel 1-612-894 6350
Fax 1-612-894 5708

VSL Corporation
1414 Post & Paddock
Grand Prairie, TX 75050
Tel 1-214-647 0200
Fax 1-214-641 1192

VSL Corporation
608 Garrison Street #V
Lakewood, CO 80215
Tel 1-303-239 6655
Fax 1-303-239 6623

VSL Corporation
370 Middletown Blvd. #500
Langhorne, PA 19047
Tel 1-215-750 6609
Fax 1-215-757 0381

USA West

VSL Western
1077 Dell Avenue
Campbell, CA 95008
Tel 1-408-866 5000
Fax 1-408-379 6205

VSL Corporation
10810 Talbert
Fountain Valley, CA 92708
Tel 1-714-964 6330
Fax 1-714-965 3265
Norway

VSL Corporation
4208 198th Street, SW
Lynnwood, WA 98036
Tel 1-206-771 3088
Fax 1-206-672 3020

VSL Corporation
91-313 Kauhii Street
Ewa Beach, HI 96707
Tel 1-808-682 2811

Canada

Canadian BBR (1980) Inc.
P.O. Box 37
Agincourt, ONT M1S 3B4
Tel 1-416-291 1618
Fax 1-416-291 9960

Spain

VSL Iberica S.A.
Paseo de la Castellana,
117 2º D
28046 Madrid
Tel 34-1-556 18 18
Fax 34-1-597 27 01

EUROPE - MIDDLE EAST - AFRICA

Switzerland
VSL (Switzerland) Ltd.
Bernstrasse 9
3421 Lyssach
Tel 41-34-47 99 11
Fax 41-34-45 43 22

Austria

Sonderbau GesmbH
Sechshäuser Str. 83
1150 Wien
Tel 43-222-892 02 80
Fax 43-222-892 02 80 33

France

VSL France S.à r.l.
154, rue du Vieux-Pont-du-
Sèvres
92100 Boulogne-Billancourt
Tel 33-1-462 149 42
Fax 33-1-476 105 58

Germany

SUSPA Spannbeton GmbH
Max-Planck-Ring 1
4018 Langenfeld/Rhld.
Tel 49-2173 79020
Fax 49-2173 790 220

Greece

VSL Systems S.A.
18, Valaoritou Str.
Athens 10671
Tel 30-1-36 38 453
Fax 30-1-36 09 543

Italy

Preco S.r.l.
Via Olona 12
20123 Milano
Tel 39-2-48 18 031
Fax 39-2-28 10 2111

Netherlands

Civielco B.V.
Rijnhofweg 9
2300 At Leiden
Tel 31-71-768 900
Fax 31-71-720 886

Norge A/S

P.O. Box 173
4001 Stavanger
Tel 47-4-56 37 01
Fax 47-4-56 27 21

Portugal

VSL Prequipe SA
Av. da Republica, 47-2.º
Esq.
1000 Lisboa
Tel 351-1-793 85 30
Fax 351-1-793 09 01

Sweden

Internordisk Spännarmnering
AB (ISAB)
Vendevägen 89
18225 Danderyd
Tel 46-8-753 0250
Fax 46-8-753 4973

United Kingdom

Balvac Whitley Moran Ltd.
Ashcroft Road, P.O. Box 4
Kirkby, Liverpool L33 7ZS
Tel 44-51-549 2121
Fax 44-51-549 1436

INDIA

Killick Prestressing Ltd.
Killick House/Killick Estate
Baji Pasalkar Marg,
Chandivli
Bombay 400072
Tel 91-22-578 44 81
Fax 91-22-578 47 19

SOUTH AMERICA

Bolivia

Prestress VSL of Bolivia
Jauregui Ltd.
Calle Fernando Guachala
2do, Pasaje No 715-B, La Paz
Tel 591-2-321 874
Fax 591-2-371 493

Brazil

Rudloff-VSL Industrial Ltda.
Rua Dr. E. Th. Santana,
158
Barra Funda
Sao Paulo/CEP 01140
Tel 55-11-826 0455
Fax 55-11-826 6266

Chile

Sistemas Especiales de
Construccion SA
Josue Smith Solar 434
Santiago 9
Tel 56-2-233 1057
Fax 56-2-231 1205

Peru

Pretensado VSL del Peru
SA
Avenida Principal 190
Santa Catalina
Lima 13
Tel 51-14-760 423
Fax 51-14-760 477